


REV	DESCRIPTION	BY	DATE	ECN
Α	ENGINEERING RELEASE	RAF	2/22/93	23664
В	ADDED OPTION "J" TO NOTE 2	RAF	1/19/96	M14821
С	ADDED OPTION "W" TO NOTE 2	SDR	3-1-96	M14821A
D	46.0±0.8 WAS 44.4±0.3, 1.81±.03 WAS 1.75±.01	WRD	10-25-96	27993
Ε	-1)PORT TYPE OPTION WAS "A" -2)MOUNTING TYPE OPTION WAS "H","J" OR "W"	SSD	03-27-07	0004356
	-1)22.9±1.3 [.90±.05] WAS 22.9±0.5 [.90±.02] -2)38.4±0.8 [1.51±.03] WAS 38.4±0.5 [1.51±.02] -3)44.4±1.0 [1.75±.04] WAS 46.0±0.8 [1.81±.03] -4)ADDED MOUNTING TYPE "DA" TO NOTE 2 -5)"2X SAE J1926/1: 7/8-14" WAS "7/8-14" -6)DRAWING UPDATED TO ASME Y14.5M-1994 STANDARD	CSG	04-16-12	M85382
G	ADDED MOUNTING OPTION RA TO NOTE 2	JVD	07-09-15	M97372

NOTE

- 1 PORT TYPE: OPTION AA
- 2 MOUNTING TYPE: OPTION DA, DD, CA OR RA



REVIEWED FOR CLASSIFICATION PER ESP-042

UNLESS OTHERWISE SPECIFIED ALL	DRAWING BASED ON ASME Y14.5M-1994				
DIMENSIONS ARE IN INCHES MILLIMETERS (INCHES) TOLERANCES .x ±	THE REPRODUCTION, DISTRIBUTION, AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL, OR DESIGN. (PER ISO 16016)				
.xx ± REF .xxx ± NN Y	DRAWN BY/DATE RAF 4/8/93	MATERIAL/HEAT TREAT			
∠ ±	CHECKED AGJ 5-25-93				
UNSPECIFIED RADII ARE	ENGRG RVA 5-25-93	TITLE PORT INSTALLATION			
	METALLURGY	FURI INSTALLATION			
UNSPECIFIED DRAFT ANGLES ARE	+ -	MICRONICES NUMBER NUMBER			
B SIZE	DO NOT SCALE	ARITHMETICAL AVERAGE SCALE 1/1 SHEET 1 OF 1			