





REV	DESCRIPTION	BY	CHK	DATE	ECN
A	ENGINEERING RELEASE	AGJ		1-23-06	M66249



NOTE

1 ROTATION:  
 STANDARD: WHEN FACING SHAFT END OF MOTOR, SHAFT TO ROTATE;  
 CLOCKWISE WHEN PORT "A" IS PRESSURIZED  
 COUNTERCLOCKWISE WHEN PORT "B" IS PRESSURIZED

REVERSE: WHEN FACING SHAFT END OF MOTOR, SHAFT TO ROTATE;  
 CLOCKWISE WHEN PORT "B" IS PRESSURIZED  
 COUNTERCLOCKWISE WHEN PORT "A" IS PRESSURIZED

2 MOUNTING TYPE: BD  
 STANDARD (MAGNET), 4 BOLT: Ø 82.6 [3.25] PILOT  
 Ø 13.59 [0.535] HOLES ON Ø 106.4 [4.19] BOLT CIRCLE  
 6.35 [0.250] PILOT LENGTH

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES <input type="checkbox"/> MILLIMETERS <input checked="" type="checkbox"/>		DRAWING BASED ON ANSI Y14.5M-1982	
TOLERANCES		THE REPRODUCTION, DISTRIBUTION AND UTILIZATION OF THIS DOCUMENT AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHT RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL OR DESIGN. (PER ISO 16016)	
x ±	xx ± REF	DRAWN BY/DATE AGJ 2-6-06	MATERIAL/HEAT TREAT
.xxx ± ONLY	< ±	CHECKED BY/DATE JML 2-6-06	
UNSPECIFIED RADII ARE	UNSPECIFIED DRAFT ANGLES ARE	ENGRG BY/DATE JML 2-6-06	TITLE
		METALLURGY BY/DATE	2000 SERIES MOTOR INSTALLATION
		THIRD ANGLE PROJECTION	NUMBER
DRAWING FORMAT CADD <input checked="" type="checkbox"/> MANUAL <input type="checkbox"/>	DO NOT SCALE	ARITHMETICAL AVERAGE	A-1437-002
			SCALE 1/1 SHEET 1 OF 1

