



| REV | DESCRIPTION | BY | CHK | DATE | ECN |
|-----|--|-----|-----|----------|---------|
| A | ENGINEERING RELEASE | SMM | | 01-29-01 | M24939 |
| B | NOTE 1 WAS MOUNTING TYPE: OPTION 2 & C | AGJ | | 5-13-02 | 41044 |
| C | 56.6/54.4 {2.23/2.14} WAS 56.9/54.4 {2.24/2.14} | AGJ | | 5-17-04 | 47918 |
| D | NOTE 2 WAS OUTPUT SHAFT: OPTION 06 & 27 | PM | | 4-4-06 | 54522 |
| E | REVISED AS PER STACK-UP | SMT | | 08-22-13 | M90230 |
| F | ADDED 1/4-20 UNC-2B THRU... | YUP | AAB | 10-16-13 | M90230A |



REVIEWED FOR CLASSIFICATION PER ESP-042

NOTE

- 1 MOUNTING TYPE: OPTION AC, BA & BE
- 2 OUTPUT SHAFT: OPTION 06 & 20

| | | |
|---|---|--|
| UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES <input checked="" type="checkbox"/> MILLIMETERS (INCHES) <input type="checkbox"/> | DRAWING BASED ON ASME Y14.5M-1994 | |
| | THE REPRODUCTION, DISTRIBUTION, AND UTILIZATION OF THIS DOCUMENT, AS WELL AS THE COMMUNICATION OF ITS CONTENTS TO OTHERS WITHOUT EXPLICIT AUTHORIZATION IS PROHIBITED. OFFENDERS WILL BE HELD LIABLE FOR THE PAYMENT OF DAMAGES. ALL RIGHTS RESERVED IN THE EVENT OF THE GRANT OF A PATENT, UTILITY MODEL, OR DESIGN. (PER ISO 16016) | |
| TOLERANCES X ± ---- XX ± REF XXX ± ONLY < ± ---- | DRAWN BY/DATE SMM 02-17-01 CHECKED BY/DATE AGJ 02-21-01 | MATERIAL/HEAT TREAT |
| UNSPECIFIED RADII ARE ---- | ENGRG BY/DATE MWM 02-21-01 METALLURGY ---- BY/DATE ---- | TITLE 2000 SERIES MOTOR SHAFT INSTALLATION |
| UNSPECIFIED DRAFT ANGLES ARE ---- | THIRD ANGLE PROJECTION | MICROINCHES <input type="checkbox"/> MICROMETERS (MICROINCHES) <input type="checkbox"/> ARITHMETICAL AVERAGE <input checked="" type="checkbox"/> |
| B SIZE | DO NOT SCALE | NUMBER A-683-048 SCALE 1/1 SHEET 1 OF 1 |

Danfoss